

Testing Summary

Getac RX10 Docking Station and Cradle

(7160-0760-00, 7160-0792-00)

Summary of Tests Performed at Gamber-Johnson

Test Description	Test Parameters
Vibration – Operational Test date: November, 2015	MIL-STD-810G, Method 514.6, Procedure 1, Category 4, per Figure 514.6C-1. Test duration is one hour along three mutually orthogonal axes – not simultaneously (3 hours total). <ul style="list-style-type: none"> • Unit is unlocked
Vibration – Operational RF Connection Test date: November, 2015	MIL-STD-810G, Method 514.6, Procedure 1, Category 4, per Figure 514.6C-1. Test duration is one hour along three mutually orthogonal axes – not simultaneously (3 hours total). <ul style="list-style-type: none"> • Test is performed simultaneously with operational test. • Test is monitored to record any breaks in RF connectivity during vibration.
Vibration – Non-Operational (Minimum Integrity) Test date: Nov., 2015	MIL-STD-810G, Method 514.6, Category 24, per Figure 514.6E-1. Test duration is one hour along three mutually orthogonal axes – not simultaneously. <ul style="list-style-type: none"> • Unit is unlocked
Vibration – Non-Operational Sinusoidal Test date: Nov., 2015	10-1000Hz Sine Sweep <ul style="list-style-type: none"> • Rate = 1 octave per minute
Functional Shock - Non-Operational Test date: November, 2015	MIL-STD-810G, Method 516.6, Procedure 1, 3 positive and 3 negative pulses each axis (vertical, longitudinal and transverse), 18 pulses <ul style="list-style-type: none"> • 20G, 11ms half sine • Unit is unlocked
Mechanical Shock Safety - Non-Operational Test date: November, 2015	MIL-STD-810G, Method 516.6, Procedure 1, 3 positive and 3 negative pulses each axis (vertical, longitudinal and transverse), 18 pulses <ul style="list-style-type: none"> • 40G, 11ms half sine • Unit is unlocked
Cycle Testing – Non-Operational Test date: January 2016	30,000 cycles of the docking connector, latching and locking mechanisms
Electrostatic Discharge – Operational Test date: Nov., 2015	ISO 10605, Section 8, Table C.2, Category 2 – Direct Air Discharge

An ISO 9001:2008 certified company

Summary of Tests Performed at Independent Facility

Test Description	Test Parameters
Shock – Crash Hazard Test date: April 2016	SAE J1455, Section 4.11.3.5, per Figure 13 <ul style="list-style-type: none"> • Unit is unlocked
EMC Testing Test date: December 2015	EN 50498:2010
EMC Testing Test date: December 2015	EN 55022:2010/AC:2010 <ul style="list-style-type: none"> • CISPR 22 – Class B • FCC Part 15, Subpart B – Class B
EMC Testing Test date: December 2015	IEC 60601-1-2:2007/AC: 2010

Other Certifications

Description
EN 50581:2012 RoHS2 Directive 2011/65/EU

An ISO 9001:2008 certified company