

## GETAC K120 FULLY RUGGED TABLET ACCESSORY SPEC BROCHURE



GETAC TECHNOLOGY CORPORATION 5F, Building A, No. 209, Section 1, Nangang Rd., Nangang Dist., Taipei City, 115018, Taiwan, R.O.C. Tel : +886 2 2785 7888 globalmarketing@getac.com I www.getac.com

RUGGED VERSATILITY MULTIPLE POSSIBILITIES

Copyright © 2022 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved.

## **CARRY BAG**

## **FEATURES & BENEFITS**

Constructed of durable Nylon/air mesh fabric and featuring an adjustable padded shoulder strap, this compact carry bag provides sturdy protection for your device while giving maximum comfort. The functional pockets inside offer the optimal solution to transport the laptop and needed accessories together in one case, delivering extra convenience and go-anywhere productivity to mobile professionals.

### **Product Information**

Dimensions : L 405 x W 330 x D 100mm Weight : 1.335kg Main Material : Nylon, air mesh fabric

#### **SKU ID**

GMBCX7





## **STANDARD BATTERY 2100 MAH (1-PACK)**

## **FEATURES & BENEFITS**

This battery pack is specifically designed for the K120, and can be hot-swapped for quick and simple battery replacement in the field without powering the unit down.

### **Product Information**

Battery Type : Lithium-ion Number of cell : 3S1P Voltage : 11.1V Capacity : Typical 2100mAh; min. 2040mAh Dimensions : L 123.9 x W 91.2 x H 12.3mm Weight : 160g

#### **SKU ID**

GBM3X4





## HIGH CAPACITY BATTERY 3450 MAH (1-PACK)

## **FEATURES & BENEFITS**

The high capacity battery pack extends the system run time up to two times compared to the standard battery pack, providing a great solution for mobile professionals who require extra battery life for all-day computing. It's also hot-swappable for quick replacement without interrupting the tablet's performance.

### **Product Information**

Battery Type : Lithium-ion Number of cell : 4S1P Voltage : 14.4V Capacity : Typical 3450mAh; min. 3300mAh Dimensions : L 123.9 x W 115.4 x H 22.3mm Weight : 260g

#### **SKU ID**

GBM4X4







## **DUAL BAY BATTERY CHARGER**

## **FEATURES & BENEFITS**

This external dual-bay main battery charger is designed to charge up to 2 batteries at the same time. It provides you the benefit of charging and storing the 2 main batteries together when there is limited space and power sockets.

### **Product Information**

AC Input : 100V~240V DC Output : 13.05V, 2.4A Max. Number of charge bays : 2 bays Dimensions : L 160 x W 180 x H 72.5mm Weight : 1.2kg

#### **SKU ID**

GCMCEF (EU Power Cord) GCMCUF (US Power Cord) GCMCKF (UK Power Cord) GCMCAF (AU Power Cord) GCMCCF (CHN Power Cord) GCMCTF (TW Power Cord)







## **MULTI-BAY BATTERY CHARGER EIGHT BAY**

## **FEATURES & BENEFITS**

The 8-bay multi-battery charger is designed to charge multiple battery packs simultaneously and provide users an efficient charging solution.

### **Product Information**

AC Input : 100V~240V AC, 4.2A 50~60Hz DC Output : 19.5V, 16.9A \* w / 330W AC Adapter Number of charge bays : 8 bays Dimensions : L 465 x W 245 x H 95.3~111.3mm Weight : 4.7 kg ,not including battery packs

#### **SKU ID**

GCECED (EU Power Cord) GCECUD (US Power Cord) GCECKD (UK Power Cord) GCECAD (AU Power Cord) GCECCD (CHN Power Cord) GCECTD (TW Power Cord)





## **90W AC ADAPTER**

## **FEATURES & BENEFITS**

This adapter is designed to power the device and charge its internal battery from an AC power source. A country-specific power cord is included with the adapter to fit the local power outlet in your destination country.

### **Product Information**

Input : 100V-240V Output : 19V, 4.74 A, 90W Dimensions : L 129 x W 53 x H 30.5mm Weight : 368g Input cable length : 1830mm Output cable length : 1800mm

### **SKU ID**

GAA9E5 (EU Power Cord) GAA9U5 (US Power Cord) GAA9K5 (UK Power Cord) GAA9A5 (AU Power Cord) GAA9C5 (CHN Power Cord) GAA9T5 (TW Power Cord)



(for use in non-hazardous areas only)



## 90W MIL-STD-461 AC ADAPTER

## **FEATURES & BENEFITS**

This MIL-STD-461G AC adapter has passed the military standard and testing specification to ensure the conducted emissions (CE), conducted susceptibility (CS), radiated emissions (RE), and radiated susceptibility (RS) of the adapter can meet the requirements for the control of electromagnetic interference.

### **Product Information**

Input : 115V-230V, 1.6A 50~60Hz Output : 19V, 4.74A, 90W Dimensions : L 170 x W 75 x H 45mm Weight : 880g (without power cord) Input cable length : 1530mm Output cable length : 1800mm

#### **SKU ID**

GAAGE5 (EU Power Cord) GAAGU5 (US Power Cord) GAAGK5 (UK Power Cord) GAAGC5 (CHN Power Cord)





## **120W AC ADAPTER WITH POWER CORD**

## **FEATURES & BENEFITS**

Specifically designed for use with the office docking station and performance SKU, this 120W AC adapter provides efficient delivery to power your devices.

### **Product Information**

Input : 100V-240V Output : 19V, 6.32A Max. Dimensions : L 131.5 x W 69 x H 25.6mm Weight : 412g Input cable length : 1830mm Output cable length : 1800mm

#### **SKU ID**

GAA3E2 (EU Power Cord) GAA3U2 (US Power Cord) GAA3K2 (UK Power Cord) GAA3A2 (AU Power Cord) GAA3C2 (CHN Power Cord) GAA3T2 (TW Power Cord) GAA3R2 (KR Power Cord) GAA3I2 (IN Power Cord) GAA3G2 (AG Power Cord)





## **120W DC-DC VEHICLE ADAPTER**

## **FEATURES & BENEFITS**

The 120W vehicle adapter comes with a choice of two types of connections: a bare wire with individual wire ends already stripped, and a cigarette lighter plug for easy connection to the cigarette lighter socket in the vehicle interior, providing a convenient way to charge and power your tablet while you are on the road.

### **Product Information**

Input Voltage : 11VDC~ 32VDC Output Voltage : 19VDC Output current : 6.32A Max. Case Dimensions : L 131.5 x W 65.6 x H 30mm Weight : 362g Input cable length : 1900mm Output cable length : 1000mm

#### **SKU ID**

GAD2X4 (Cigarette Lighter Plug Version) GAD2X8 (Bare Wire Version)



Cigarette Lighter Plug Version

Bare Wire Version



## **DIGITIZER PEN**

## **FEATURES & BENEFITS**

The digitizer pen provides a more accurate and easy way for data entry and handwritten signature. A shortcut button allows the right mouse button functionality when using the pen.

### **Product Information**

Stylus Dimensions : 109mm ; Ø9mm Tip size : 2.0mm ; Ø1.65mm Tether Length : 292mm

### **SKU ID**

GMPDX6





## **CAPACITIVE STYLUS & TETHER**

## **FEATURES & BENEFITS**

This capacitive stylus is lightweight and easy to control, spring-loaded nib increasing the durability also allowing smooth and comfortable interaction with the touch screen without worrying about scratching the screen or leaving fingerprints on it. The stylus comes with a tether to keep it attached to the tablet to get lost or misplaced.

#### **Product Information**

Nib Material : Conductive PET Fiber Stylus Dimensions : 108.7 mm ; Ø9 mm Tip size : 2.7 mm ; Ø2.8 mm Color : Black Tether Length : 304 mm

#### **SKU ID**

GMPSXN





## **SCREEN PROTECTION FILM MATTE FINISH**

## **FEATURES & BENEFITS**

This screen protection film is cut precisely to fit the K120 tablet and is easy to install and remove without leaving sticky residue. With anti-glare coating, it not only protects the screen from the rigors of daily use, and helps to diffuse light on the screen and reduces glare, providing effortless readability for displayed information under common ambient lighting conditions.

### **Product Information**

Dimensions : L 301.08 x W 191.32 x D 0.14mm Main Material : PET

#### **SKU ID**

GMPFXJ





## **ROTATING HAND STRAP WITH KICKSTAND**

## **FEATURES & BENEFITS**

The rotating hand strap is designed to make using the tablet easier and more convenient to carry. The hand strap is adjustable to fit the majority of hand sizes and can be rotated 360 degrees to find the ideal viewing angle while on-the-go. It also includes a built-in kickstand that allows for handsfree usage on flat surfaces, providing more on-the-job flexibility.

### **Product Information**

Hand Strap Dimension : 242 x 115mm Main Material : PU

#### **SKU ID**

GMHRXG





## **SHOULDER STRAP 2-POINT**

## **FEATURES & BENEFITS**

This shoulder strap attaches via two holders at the back of the tablet and is adjustable to fit most body sizes for both cross-body and shoulder carry. With its durable, sturdy design, the strap not only provides a comfortable, grip-free carrying option of the tablet but also helps in avoiding accidental drops while on the move. The shoulder strap can also attach to the detachable keyboard (sold separately) via two D-rings on the built-in handle.

### **Product Information**

Dimensions : 38 x 1530mm Main Material : Polyester

#### **SKU ID**

GMS2X8





## **SHOULDER HARNESS 4-POINT**

## **FEATURES & BENEFITS**

This shoulder harness has four snap hooks which attach to the corner rings on the tablet, and can be easily detached as well. The harness is worn in a backpack style, allowing the tablet to be carried hands-free in front of the user at a belt level for easy accessibility. It also delivers optimal support and a comfortable fit during movement, thanks to its wide soft padding and adjustable straps.

### **Product Information**

Dimensions : 1380 x 372mm Main Material : Polyester

**SKU ID** 

GMS4X4



## **DETACHABLE KEYBOARD**

## **FEATURES & BENEFITS**

Featuring 4-level red backlighting, 88 full-size keys and a Precision Touchpad (PTP), the detachable keyboard allows a more accurate and reliable pointer and gesture functionality. Specifically designed for highly mobile professionals who need to perform data-intensive tasks in their daily workflows. The double-locking mechanism strengthens the tablet-keyboard connection and prevents the keyboard from accidentally falling off. It also features a retractable handle that can be pulled out to create a stable base, allowing the tablet screen to be safely tilted back for comfortable viewing.

#### **Product Information**

Dimension : L 340.5 x W 307.5 x H 21mm Weight :1.25Kg Structure : MIL-STD 810G, IP65, membrane Drop : 4ft Layout : 88 keys I/O Interfaces : DC in Jack x 1 Docking Compatibility : NOT compatible with K120 vehicle /office docks (laptop mode).





#### **SKU ID**

GDKBUA (US) GDKBBA (DE) GDKBCA (UK) GDKBDA (FR) GDKBEA (IT) GDKBGA (Traditional Chinese) GDKBHA (RU)	GDKBKA (KR) GDKBLA (PL) GDKBMA (Spanish) GDKBNA (FDNS) GDKBTA (TR) GDKBWA (International US) GDKBFA (Canadian French) GDKBVA (Canadian French
GDKBIA (AR)	Government)

Copyright © 2022 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved.

## **KEYBOARD DOCK WITH RF PASS-THROUGH**

## **FEATURES & BENEFITS**

Featuring 4-level red backlighting, 88 full-size keys and an integrated touchpad, the keyboard dock allows for a user-friendly, laptop-like operation to minimize mistakes and increase the efficiency as you perform data-intensive tasks. It also carries a variety of I/O ports for connections to peripherals and other devices. Its Double-locking mechanism strengthens the tablet-keyboard connection and prevents the keyboard from accidentally falling off. It also features a retractable handle that can be pulled out to create a stable base, allowing the tablet screen to be safely tilted back for comfortable viewing.

### **Product Information**

Dimension : L 340.5 x W 307.5 x H 21mm Weight : 1.43Kg Structure : IP66; membrane Drop : 4ft Layout : 88 keys I/O Interfaces : DC in Jack x 1, USB 3.2 Type-A x 3, Giga Lan (RJ-45) x 1, HDMI x 1, Serial Port x 1, Display Port X 1, RF antenna pass-through for GPS, WLAN and WWAN Decking Compatibility : Compatible with K120 vehicle (office docks (Japton

Docking Compatibility : Compatible with K120 vehicle /office docks (laptop mode).



#### **SKU ID**

GDKBUC (US) GDKBBC (DE) GDKBCC (UK) GDKBDC (FR) GDKBEC (IT) GDKBGC (Traditional	GDKBKC (KR) GDKBLC (PL) GDKBMC (Spanish) GDKBNC (FDNS) GDKBTC (TR) GDKBWC (International US)
GDKBEC (IT) GDKBGC (Traditional Chinese)	GDKBTC (TR) GDKBWC (International US) GDKBFC (Canadian French)
GDKBHC (RU) GDKBIC (AR)	GDKBVC (Canadian French Government)

## **KEYBOARD DOCK WITHOUT RF PASS-THROUGH**

## **FEATURES & BENEFITS**

Featuring 4-level red backlighting, 88 full-size keys and an integrated touchpad, the keyboard dock allows for a user-friendly, laptop-like operation to minimize mistakes and increase the efficiency as you perform data-intensive tasks. It also carries a variety of I/O ports for connections to peripherals and other devices. Its Double-locking mechanism strengthens the tablet-keyboard connection and prevents the keyboard from accidentally falling off. It also features a retractable handle that can be pulled out to create a stable base, allowing the tablet screen to be safely tilted back for comfortable viewing.

### **Product Information**

Dimension : L 340.5 x W 307.5 x H 21mm Weight : 1.43Kg Structure : IP66; membrane Drop : 4ft Layout : 88 keys I/O Interfaces : DC in Jack x 1, USB 3.2 Type-A x 3, Giga Lan (RJ-45) x 1, HDMI x 1, Serial Port x 1, Display Port X 1 Docking Compatibility : Compatible with K120 vehicle /office docks (laptop mode).



### **SKU ID**

GDKBUD (US) GDKBBD (DE) GDKBCD (UK) GDKBDD (FR) GDKBED (IT) GDKBGD (Traditional Chinese) GDKBHD (RU) GDKBID (AR)	GDKBKD (KR) GDKBLD (PL) GDKBMD (Spanish) GDKBND (FDNS) GDKBTD (TR) GDKBWD (International US) GDKBFD (Canadian French) GDKBVD (Canadian French) GOKBVD (Canadian French)
GDKBID (AR)	Government)
	GDKBBD (DE) GDKBCD (UK) GDKBDD (FR) GDKBED (IT) GDKBGD (Traditional Chinese) GDKBHD (RU)



# **OFFICE DOCK WITH AC ADAPTER (TABLET MODE)**

## **FEATURES & BENEFITS**

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics. The HDMI and VGA ports also provide a convenient solution for sharing presentations or worksheets from a larger screen.

### **Product Information**

Dimensions : L 313.3 x W 203.3 x H 265.7mm Weight : 1.45kg Docking Connector : POGO \* w / 120W AC Adapter I/O Interfaces : DC in Jack x 1, Audio Output x 1, Microphone x1, USB 2.0 x 2, USB 3.0 x3, LAN x 2, HDMI x 1, VGA x 1, Serial Port x 1, Kensington Lock x 1

#### **SKU ID**

GDODE5 (EU Power Cord) GDODU5 (US Power Cord) GDODK5 (UK Power Cord) GDODA5 (AU Power Cord) GDODC5 (CHN Power Cord) GDODT5 (TW Power Cord)







# **OFFICE DOCK WITH AC ADAPTER (LAPTOP MODE)**

## **FEATURES & BENEFITS**

The Getac office dock brings out multiple I/O ports for connecting essential peripheral devices in office environment. Through the integrated ethernet, RS232, or USB connections, users can quickly collect and synchronize field data with central offices for real-time reporting and analytics. The HDMI and VGA ports also provide a convenient solution for sharing presentations or worksheets from a larger screen.

### **Product Information**

Dimensions :408 x 225.7 x 67.5 mm Weight : 1.90 kg Docking Connector : POGO \* w / 120W AC Adapter I/O Interfaces : DC in Jack x 1, Audio Output x 1, Microphone x1, USB 2.0 x 2, USB 3.0 x3, LAN x 2, HDMI x 1, VGA x 1, Serial Port x 1, Kensington Lock x 1

#### **SKU ID**

GDODE6 (EU Power Cord) GDODU6 (US Power Cord) GDODK6 (UK Power Cord) GDODA6 (AU Power Cord) GDODC6 (CHN Power Cord) GDODT6 (TW Power Cord)





## **GETAC RUGGED KEYBOARD**

## **FEATURES & BENEFITS**

The Getac Rugged Keyboard is designed with VESA and AMPS mounting capability that allow it to be placed firmly in the vehicle. It has gone through vigorous test that comply with MIL-STD 810G and IP65. It also features with 88 full sized keys, red LED backlight with five levels of brightness and impressive key response that will truly enhance user experience.

### **Product Information**

Dimension : 307.7 x 194 x 32 mm Weight : 870g Compatibility : Windows 10 Pro Backlit : Red LED. five levels of brightness Coiled Cable Length : USB 2.0 interface, 1.83m

#### **SKU ID**

Getac Rugged Keyboard	Getac Rugged Keyboard with Smart card and USB 2.0	Getac Rugged Keyboard with Smart card and LF/HF RFID
GDKBU9 (US)	GDKBU6 (US)	GDKBU7 (US)
GDKBC9 (UK)	GDKBC6 (UK)	GDKBC7 (UK)
GDKBB9 (DE)	GDKBB6 (DE)	GDKBB7 (DE)
GDKBD9 (FR)	GDKBD6 (FR)	GDKBD7 (FR)

