Getac



RUGGED TABLET

- Qualcomm[®] Snapdragon™ 660, Octa-core Processor
- Verified as Android enterprise recommended

ZX70 FULLY

- 7" LumiBond® display with Getac sunlight readable technology and glove-enabled capacitive touchscreen
- 6ft drop, MIL-STD-810H and IP67 certified
- Optional barcode reader, RFID reader














ZX70 3D demo



SPECIFICATIONS

Operating System Android™ 10.0

Mobile Computing Platform

Qualcomm[®] Snapdragon™ 660, Octa-core Max. 2.2GHz

VGA Controller

Qualcomm[®] Adreno™ 512 GPU

Display 7" IPS TFT LCD HD (1280 x 720) Protection film LumiBond® display with Getac sunlight readable technology Capacitive multi-touch screen

Storage & Memory 4GB LPDDR4

64GB eMMC

Keyboard

Power button

3 tablet programmable buttons

Pointing Device

Touchscreen

- Capacitive multi-touch screen

Expansion Slot

Optional: 1D/2D imager barcode reader

I/O Interface

8M pixels webcam x 1 12M pixels autofocus rear camera x 1 DC in Jack x 1 USB 2.0 (Host) x 1 MicroUSB 2.0 (Client) x 1 MicroSD x 1 Docking connector (Pogo/JAE) x 1 Optional: SIM card slot x 1 (Micro-SIM, 3FF) Optional: RF antenna pass-through for GPS and

Communication Interface

Wi-Fi 802.11ac Bluetooth (v5.0) " Dedicated GPS

Optional: 4G LTE mobile broadband "

Security Features

Optional: HF RFID/NFC combo reader iv, v

AC adapter (25W, 100-240VAC, 50/60Hz) Li-ion battery (3.8V, typical 8480mAh; min. 8220mAh)

Dimension (W x D x H) & Weight 218 x 142 x 27mm (8.58" x 5.6" x 1.08") 762g (1.68lbs) ^v

Rugged Features

MIL-STD-810H certified IP67 certified Vibration & 6ft (1.8m) drop resistant vii Optional: ANSI/UL 121201, CSA C22.2 NO. 213 (Class I, Division 2, Groups A, B, C, D)

Environmental Specifications

Temperature viii: - Operating: -21°C to 60°C / -6°F to 140°F - Storage: -40°C to 71°C / -40°F to 160°F

Humidity:

- 95% RH, non-condensing

Pre-installed software

Getac File Browser

Getac Camera Getac Input Method Getac Driving Safety Utility (trial version)

Getac Driving Salety Offficy (trial version)
Getac deployXpress (trial version)
Getac settings and Google applications (Search,
Chrome, Gmail, Maps, YouTube, Play, Drive,
YouTube music, Play movies, Duo and photos)

Optional software

Getac Driving Safety Utility Getac deployXpress Getac OEMConfig

Accessories

AC adapter (25W: 12V/2A, 100-240VAC: 50/60Hz) Capacitive stylus with tether Pen holder Wrist strap

Optional: Carry bag AC adapter (25W; 12V/2A, 100-240VAC; 50/60Hz) Office dock AC adapter (60W, 110-240VAC) DC-DC vehicle adapter (120W, 11-32VDC) Capacitive stylus with tether Protection film Shoulder strap (2-point) Wrist strap Rotating hand strap with kickstand and stylus Vehicle cradle ix USB to RS232 converter cable Docking connector to HDMI converter cable Vehicle dock ix Office dock

Bumper-to-Bumper warranty Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment downtime.

That is why Getac has introduced accidental damage as standard under our Bumper-to-Bumper warranty, to help minimize your enterprise IT costs.

Bumper-to-Bumper is your hassle-free guarantee. That means you can depend on us to have your unit back in service within days.

Standard

Pen holder

3 years Bumper-to-Bumper

	Getac-made Vehicle Dock (JAE)	Havis Vehicle Dock (Pogo,power only)	Havis Vehicle Dock (JAE)	Gamber-Johnson Charging Cradle (Pogo)	Havis Vehicle Dock (Pogo)	Office Dock (JAE)	Office Dock (Pogo)
Serial Port	1	-	1	-	1	-	-
Speaker	1	-	-	-	-	-	-
Audio Output	1	1	1	-	1	1	1
DC in Jack	1	1	1	1	1	1	1
USB	USB Host x 2	-	USB2.0 x 2	-	USB2.0 x 2	USB Host x 2 MicroUSB Client x 1	USB Host x 2
LAN	1	-	1	-	1	1	1
HDMI	1	-	1	-	-	1	-
RF Antenna Connector	(WWAN, GPS)	(WWAN, GPS)	(WWAN, GPS)	-	(WWAN, GPS)	-	-

ZX70 FULLY **RUGGED TABLET**

Android enterprise recommended rugged devices deliver a consistent set of features verified by Google with an elevated device baseline, increased security standards and enterprise-focused features and behaviors to meet the needs of users. Google and Android are trademarks of Google LLC.

 Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth wireless devices that is operating in the area.

 Units with 4G LTE option comes with an embedded SIM card slot.

 13.56MHz HF RFID/NFC reader (ISO 15693, 14443 A/B, Mifare and Felica™ compliant).

 V HF RFID/NFC combo reader applies to US & EU.

 Weight and dimensions vary from configurations and optional accessories.

 Totted by an indexendent third party treet lab.

optional accessories. Tested by an independent third-party test lab following MIL-STD-810H. Havis vehicle dock is e-mark certified. VIII.

Information provided herewith is for reference only, available specification shall be subjected to quotation by request.



THIRD WAVE RUGGEDTECH PVT. LTD.

B-4, Chaitanya, Opp. Maradia Plaza, C.G. Road, Ahmedabad, 380006, Gujarat, India Tel:- +91 93282833304

Web: www.thirdwaverugged.com Email: info@thirdwaveruggedtech.com

AHEMDABAD | DELHI | BANGALORE | PUNE | HYDERABAD | CHENNAI





5F, Building A, No. 209, Section 1, Nangang Rd., Nangang Dist., Taipei City, 115018, Taiwan, R.O.C. Tel: +886 2 2785 7888 globalmarketing@getac.com l

www.getac.com Copyright © 2022 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved. Information provided herewith is for reference only, available specification shall be subjected to quotation by request.